

## Process for producing a sterile prednisolone gel

**Publication number:** JP9508907T

**Publication date:** 1997-09-09

**Inventor:**

**Applicant:**

**Classification:**






**- international:** **A61K9/06; A61K9/00; A61K31/57; A61K31/573; A61K47/32; A61K9/06; A61K9/00; A61K31/57; A61K47/32;** (IPC1-7): A61K31/57; A61K9/06; A61K47/32

**- European:** A61K9/00M3; A61K31/57; A61K47/32

**Application number:** JP19950521444T 19950117

**Priority number(s):** DE19944404990 19940217; WO1995EP00155 19950117

### Also published as:

 WO9522333 (A1)  
 EP0744951 (A1)  
 US5811417 (A1)  
 EP0744951 (A0)  
 EP0744951 (B1)

more >>

**Report a data error here**

Abstract not available for JP9508907T

Abstract of corresponding document: **DE4404990**

A process for producing a sterile prednisolone gel is characterised in that a sterile polyacrylate gel is produced in a manner known per se, prednisolone or its pharmaceutically acceptable esters are sterilised and incorporated in appropriate amounts in aseptic conditions into the polyacrylate gel, or the sterile prednisolone or its esters are suspended in part of the water amount required for producing the polyacrylate suspension and are homogeneously incorporated into the polyacrylate, which is then transformed into a gel.

---

Data supplied from the **esp@cenet** database - Worldwide